



Department of
Rehabilitation & Correction

Mike DeWine, Governor
Annette Chambers-Smith, Director

08/23/2019

Director Dennis Sullivan
Corrections Center of Northwest Ohio
03151 County Road 2425
Stryker, OH 43557

RE: 2019 Annual Jail Inspection

Dear Director Dennis Sullivan:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Corrections Center of Northwest Ohio, a full service jail, was inspected on 07/11/2019. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Corrections Center of Northwest Ohio is 608. On the date of the jail inspection, there were 626 inmates incarcerated in the Corrections Center of Northwest Ohio. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 668, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Corrections Center of Northwest Ohio (Full Service Jail) is in compliance with 114 standards, 53 "Essential", and 61 "Important".

5120:1-8-01 (A)(1); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -02 (B)(1); -02 (B)(2); -02 (D); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -04 (A)(4); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (F); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (B); -18 (C); -18 (D); -18 (E);

The Corrections Center of Northwest Ohio did not comply with 0 standards, 0 "Essential", and 0 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

The Corrections Center of Northwest Ohio was found to be in compliance with the onsite jail inspection for the 2019 calendar year. Your continuing effort to maintain compliance with the Minimum Standards for Jails in Ohio is to be commended. Thank you for your cooperation in the 2019 annual inspection process.

Sincerely,

A handwritten signature in cursive script that reads "Steve D. Holland". The signature is written in black ink and is positioned above a horizontal line.

Stephen Holland, State Jail Inspector
Bureau of Adult Detention
1580 St Rt 56
London, Ohio 43140
Phone: (614) 981-2040
Email: stephen.holland@odrc.state.oh.us