



Department of  
Rehabilitation & Correction

Mike DeWine, Governor  
Annette Chambers-Smith, Director

09/10/2019

Sheriff Larry Mincks  
Washington County Jail  
101 Westview Ave.  
Marietta, OH 45750

RE: 2019 Annual Jail Inspection

Dear Sheriff Larry Mincks:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Washington County Jail, a full service jail, was inspected on 09/05/2019. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Washington County Jail is 136. On the date of the jail inspection, there were 116 inmates incarcerated in the Washington County Jail. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 124, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Washington County Jail (Full Service Jail) is in compliance with 116 standards, 54 "Essential", and 62 "Important".

5120:1-8-01 (A)(1); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -01 (A)(12); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(1); -03 (A)(2); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -04 (A)(4); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (B); -18 (C); -18 (D); -18 (E);

The Washington County Jail did not comply with 0 standards, 0 "Essential", and 0 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

The Washington County Jail was found to be in compliance with the onsite jail inspection for the 2019 calendar year. Your continuing effort to maintain compliance with the Minimum Standards for Jails in Ohio is to be commended. Thank you for your cooperation in the 2019 annual inspection process.

Sincerely,

A handwritten signature in black ink that reads "David L. Hicks". The signature is written in a cursive style and is positioned above a horizontal line.

---

David Hicks, State Jail Inspector  
Bureau of Adult Detention  
1005 E. State St  
Athens, Ohio 45701  
Phone: (740) 593-3361  
Email: david.hicks@odrc.state.oh.us