



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

01/22/2018

Director Michael McGrath
Cleveland House of Corrections
4041 Northfield Road
Highland Hills, OH 44122

RE: 2017 Annual Jail Inspection

Dear Director Michael McGrath:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Cleveland House of Corrections, a full service jail, was inspected on 10/24/2017. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Cleveland House of Corrections is 265. On the date of the jail inspection, there were 116 inmates incarcerated in the Cleveland House of Corrections. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 138, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Cleveland House of Corrections (Full Service Jail) is in compliance with 112 standards, 51 "Essential", and 61 "Important".

5120:1-8-01 (A)(1); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -01 (A)(12); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -04 (A)(4); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (C); -18 (D); -18 (E);

The Cleveland House of Corrections did not comply with 2 standards, 1 "Essential", and 1 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

5120:1-8-03 (A) Each full service jail shall maintain the following minimum standards in regard to security of the jail. (1) (Essential) An established security perimeter.

Comments: The age and layout of the jail's Food Service department does not provide an established jail security perimeter. This is due the jail's Food Service rear entrance (single door) which does not provide a security vestibule.

5120:1-8-18 (B) (Important) Correctional officers shall receive training as follows:

- (1) Training in jail policies and within sixty days of employment.
- (2) During the first year of assignment, training consistent with Chapter 109:2-9 of the Administrative Code.
- (3) Eight hours of-service training each subsequent year of employment addressing specific job assignments and/or jail related issues. These training hours are in addition to training mandated by other standards.

Comments: Supporting documentation evidenced Correction Staff did not meet the intent of the standard for Sub-Section (B)(2).

Plan of action forms are enclosed. Completed form(s) and/or corrective materials addressing the noted deficiencies must be completed and submitted through the Ohio Jail Management System (OHJMS) at www.OHJMS.Intelligrants.com within 45 days of receipt of this correspondence. Please feel free to contact the Bureau if you need assistance or clarification in this effort. The Bureau remains available to discuss the aspects of this report or to provide reference materials or assistance as desired.

Sincerely,



Joel Commins, State Jail Inspector
Bureau of Adult Detention
615 Superior Ave
Cleveland, Ohio 44113
Phone: (216) 787-4902
Email: joel.commins@odrc.state.oh.us



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

09/07/2017

Chief Ken Bilinovich
North Royalton City Jail
14000 Bennett Road
North Royalton, OH 44133

RE: 2017 Annual Jail Inspection

Dear Chief Ken Bilinovich:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the North Royalton City Jail, a full service jail, was inspected on 08/08/2017. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the North Royalton City Jail is 20. On the date of the jail inspection, there were 5 inmates incarcerated in the North Royalton City Jail. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 11, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The North Royalton City Jail (Full Service Jail) is in compliance with 112 standards, 53 "Essential", and 59 "Important".

5120:1-8-01 (A)(1); -01 (A)(12); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (F); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (B); -18 (E);

The North Royalton City Jail did not comply with 2 standards, 0 "Essential", and 2 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

5120:1-8-04 (A) (4) Full service jails shall provide inmates with sufficient space. The jail shall maintain documentation

regarding square footage and maximum occupancy figures for all housing and holding areas, and shall comply with the following minimum requirements: Dayspace: (Important) Thirty-five square feet per number of occupants occupying the dayspace at one time. Minimum size of one hundred five square feet.

Comments: The jail has exceeded the Bureau Recommended Capacity for the jail facility; there is not the required amount of day space for each inmate.

5120:1-8-18 (C) (Important) Administrators and supervisors shall receive training in addition to the training specified in paragraph (B) of this rule as follows:

- (1) Training in jail policies and procedures prior to assignment to jail duties.
- (2) During the first year of assignment, forty hours of training including legal aspects of jail management, managerial principles, labor relations, and records/information management.
- (3) Eight hours of in-service training each subsequent year of employment addressing special issues, skills-enhancement, and other assignment related topics.

Comments: At the time of inspection, the jail did not provide supporting documentation in order to evidence compliance with sub-section C2 for this standard regarding Police Supervisors supporting the jail.

The North Royalton City Jail is in compliance with 100% of the Essential Standards and at least 90% of the Important Standards meeting the requirements of a "Compliant Jail". It should be noted however; the jail did not comply with 2 of the Important Standards upon which the facility was inspected. This letter is intended to serve as a basis for developing plans of action for bringing the facility back into compliance with the remaining deficiencies noted during the inspection.

The Bureau of Adult Detention encourages the jail to correct the remaining deficiencies noted in the inspection report prior to the next annual jail inspection. Plan of Action forms are enclosed and can be submitted through the Ohio Jail Management System (OHJMS) at www.OHJMS.Intelligrants.com. Feel free to contact the Bureau if you need assistance or clarification in this effort. The Bureau remains available to discuss the aspects of this report and to provide reference materials or assistance as desired.

Sincerely,



Joel Commins, State Jail Inspector
Bureau of Adult Detention
615 Superior Ave
Cleveland, Ohio 44113
Phone: (216) 787-4902
Email: joel.commins@odrc.state.oh.us



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

07/31/2017

Chief Joseph Bobak
Parma Justice Center
5555 Powers Road
Parma, OH 44129

RE: 2017 Annual Jail Inspection

Dear Chief Joseph Bobak:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Parma Justice Center, a full service jail, was inspected on 07/13/2017. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Parma Justice Center is 26. On the date of the jail inspection, there were 10 inmates incarcerated in the Parma Justice Center. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 26, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Parma Justice Center (Full Service Jail) is in compliance with 113 standards, 50 "Essential", and 63 "Important".

5120:1-8-01 (A)(1); -01 (A)(12); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -04 (A)(4); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (F); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (B); -18 (C); -18 (D); -18 (E);

The Parma Justice Center did not comply with 0 standards, 0 "Essential", and 0 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

The Parma Justice Center was found to be in compliance with the onsite jail inspection for the 2017 calendar year. Your continuing effort to maintain compliance with the Minimum Standards for Jails in Ohio is to be commended. Thank you for your cooperation in the 2017 annual inspection process.

Sincerely,

A handwritten signature in blue ink that reads "Joel M. Commins". The signature is written in a cursive style and is positioned above a horizontal line.

Joel Commins, State Jail Inspector
Bureau of Adult Detention
615 Superior Ave
Cleveland, Ohio 44113
Phone: (216) 787-4902
Email: joel.commins@odrc.state.oh.us



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

02/26/2018

Chief Christopher Viland
Solon City Detention Facility
33000 Solon Road
Solon, OH 44139

RE: 2017 Annual Jail Inspection

Dear Chief Christopher Viland:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Solon City Detention Facility, a full service jail, was inspected on 10/31/2017. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Solon City Detention Facility is 26. On the date of the jail inspection, there were 17 inmates incarcerated in the Solon City Detention Facility. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 26, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Solon City Detention Facility (Full Service Jail) is in compliance with 112 standards, 50 "Essential", and 62 "Important".

5120:1-8-01 (A)(1); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -01 (A)(12); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -04 (A)(4); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (B); -18 (C); -18 (D); -18 (E);

The Solon City Detention Facility did not comply with 0 standards, 0 "Essential", and 0 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

The Solon City Detention Facility was found to be in compliance with the onsite jail inspection for the 2017 calendar year. Your continuing effort to maintain compliance with the Minimum Standards for Jails in Ohio is to be commended. Thank you for your cooperation in the 2017 annual inspection process.

Sincerely,

A handwritten signature in blue ink that reads "Joel M. Commins". The signature is written in a cursive style and is positioned above a horizontal line.

Joel Commins, State Jail Inspector
Bureau of Adult Detention
615 Superior Ave
Cleveland, Ohio 44113
Phone: (216) 787-4902
Email: joel.commins@odrc.state.oh.us



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

03/15/2018

Sheriff Clifford Pinkney
Cuyahoga County Correction Center
1215 West 3rd Street
Cleveland, OH 44113

RE: 2017 Annual Jail Inspection

Dear Sheriff Clifford Pinkney:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Cuyahoga County Correction Center, a full service jail, was inspected on 11/14/2017. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Cuyahoga County Correction Center is 1765. On the date of the jail inspection, there were 2281 inmates incarcerated in the Cuyahoga County Correction Center. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 1765, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Cuyahoga County Correction Center (Full Service Jail) is in compliance with 108 standards, 53 "Essential", and 55 "Important".

5120:1-8-01 (A)(1); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -01 (A)(12); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -04 (C); -04 (D); -04 (E); -04 (H); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (B); -18 (C); -18 (E);

The Cuyahoga County Correction Center did not comply with 6 standards, 0 "Essential", and 6 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

5120:1-8-04 (A) (4) Full service jails shall provide inmates with sufficient space. The jail shall maintain documentation

regarding square footage and maximum occupancy figures for all housing and holding areas, and shall comply with the following minimum requirements: Dayspace: (Important) Thirty-five square feet per number of occupants occupying the dayspace at one time. Minimum size of one hundred five square feet.

Comments: The jail has exceeded the Bureau Recommended Capacity for their facility and there is not the required amount of day space for each inmate.

5120:1-8-04 (B) (Important)) Seating shall be provided in holding areas, holding cells, housing cells, dormitories, dayrooms and eating areas for each inmate.

Comments: The jail has exceeded the Bureau Recommended Capacity for their facility and there is not the required amount of seating for each inmate

5120:1-8-04 (F) (Important) Toilet facilities at a minimum of one operable toilet for every twelve occupants.

Comments: The jail has exceeded the Bureau Recommended Capacity for their facility and there is not the required amount of toilets for this standard.

5120:1-8-04 (G) (Important) Shower facilities at a minimum of one operable shower for every twelve occupants. Water temperatures shall be controlled thermostatically in a range from one hundred five to one hundred twenty degrees Fahrenheit.

Comments: The jail has exceeded the Bureau Recommended Capacity for their facility and there is not the required amount of showers for this standard.

5120:1-8-04 (J) (Important) Natural light shall be provided in housing units, dorms, cells and/or dayspaces.

Comments: The age and layout of the existing jail facility does not provide natural light for Housing Unit 4 North, not meeting the requirements for this standard.

5120:1-8-11 (A) (Important) Exercise and/or equipment for inmates shall be provided and the jail shall ensure that inmates are offered at least five hours per week.

Comments: The jails current policy, procedures and practices need reinforced to reflect standard and components specified. Additionally, the jail's supporting documentation did not evidence compliance for this standard regarding recreation access for the Inmate Population in Jail 1.

The Cuyahoga County Correction Center is in compliance with 100% of the Essential Standards and at least 90% of the Important Standards meeting the requirements of a "Compliant Jail". It should be noted however; the jail did not comply with 6 of the Important Standards upon which the facility was inspected. This letter is intended to serve as a basis for developing plans of action for bringing the facility back into compliance with the remaining deficiencies noted during the inspection.

The Bureau of Adult Detention encourages the jail to correct the remaining deficiencies noted in the inspection report prior to the next annual jail inspection. Plan of Action forms are enclosed and can be submitted through the Ohio Jail Management System (OHJMS) at www.OHJMS.Intelligrants.com. Feel free to contact the Bureau if you need assistance or clarification in this effort. The Bureau remains available to discuss the aspects of this report and to provide reference materials or assistance as desired.

Sincerely,



Joel Commins, State Jail Inspector
Bureau of Adult Detention
615 Superior Ave
Cleveland, Ohio 44113
Phone: (216) 787-4902
Email: joel.commins@odrc.state.oh.us